


HEAT STRESS ADVISORY CHART

	ADVISORY LEVEL	NORMAL PPE	ADDITIONAL PPE
		<ul style="list-style-type: none"> • Fluids – Every 30 Minutes (Mandatory) • Temp. Inside Confined Space Cannot Exceed 100° F – (Mandatory) • Implement at Least <u>One</u> of the Following: <ul style="list-style-type: none"> External Cool Device (AC) Personal Cool Device (Cool Vest) Rotate Personnel, Buddy System/Add to Work Team Plan Work at Cooler Time of Day 	<ul style="list-style-type: none"> • Heat Stress Prevention Plan Required • Fluids – Every 20 Minutes (Mandatory) • Temp. Inside Confined Space Cannot Exceed 100° F – (Mandatory) • Consider Alternate Work Plan • Implement at Least <u>Two</u> of the Following: <ul style="list-style-type: none"> External Cool Device (AC) Personal Cool Device (Cool Vest) Rotate Personnel, Buddy System/Add to Work Team Plan Work at Cooler Time of Day
		<ul style="list-style-type: none"> • Fluids – Every Hour (Recommended) • Rest Breaks – Every 2 Hours (Recommended) • Cool Device - (Optional) 	<ul style="list-style-type: none"> • Fluids – Every Hour (Recommended) • Temp. Inside Confined Space Cannot Exceed 100° F – (Mandatory) • Implement at Least <u>One</u> of the Following: <ul style="list-style-type: none"> Nitrogen (Cooled) External Cool Device (AC) Personal Cool Device (Cool Vest) Rotate Personnel, Buddy System/Add to Work Team Plan Work at Cooler Time of Day (If Possible)
		<ul style="list-style-type: none"> • Fluids - Maintain Adequate Hydration • Rest Breaks – Self Pace • Cool Device – (Optional) 	<ul style="list-style-type: none"> • Fluids – Every Hour (Recommended) • Rest Breaks – Every 2 Hours (Recommended) • Cool Device – (Optional)