

Activity/Task: Procedure / SOI: Date: Revision:

JSEA Prepared by: JSEA Approved by: Position:

Client: Project: Permit No.s:

<sup>\*</sup> To be reviewed/finalized/completed on site; in consultation and signed off by ITCS team prior to commencement of work or when the work environment changes. \*

| ŀ | lazard Identification - Tick all tr | nat apply, write additional hazar | ds identified |
|---|-------------------------------------|-----------------------------------|---------------|
|   |                                     |                                   |               |

| HAZARD YES                       | HAZARD YES                           | HAZARD YES                         | HAZARD YES               | WORKPLACE YES                                       | ENVIRONMENTAL YES           |
|----------------------------------|--------------------------------------|------------------------------------|--------------------------|---|-----------------------------|
| Confined Space                   | Engulfment                           | Suspended loads                    | Line of fire             | Noise - plant & equipment                           | Air emissions - dust, fumes |
| Difficult Entry/exit             | Radiation                            | Falling objects                    | Pressurized fluids       | Lighting  | General waste               |
| O <sub>2</sub> Deficiency/excess | <u>Electrical Hazards</u> -<br>LV/HV | Working near crane & crane runways | Pressurized air/gas      | Remote area   | Hazardous waste             |
| Poisonous Fume/gas               | Multiple electrical feeds            | Live rails-gantry cranes           | Traffic Management       | Temperature extremes                                | Hydrocarbon/chem. Spill     |
| Explosive gas                    | Working at heights                   | Trip hazards                       | Machinery - mobile plant | Weather extremes                                    | Soil disturbance/erosion    |
| Flammable materials              | Ladders                              | Slippery surfaces                  | Moving parts             | Reduced visibility                                  | Habitat disruption (If any) |
| Combustible materials            | Elevated work platforms              | Manual handling                    | Unauthorized persons     | Communication - personal                            | High pressure water         |
| Hazardous substances             | Potential for difficult rescue       | Sharp materials                    | Dangerous transport      | <u>Communication</u> - means of radio, hand signals | Vacuum                      |



























| PEOPLE CONTROLS     | EQUIPMENT CONTROLS     | ENVIRONMENTAL CONTROLS | PERMITS ATTACHED   |
|---------------------|------------------------|------------------------|--------------------|
| Safety watch person | Lockout & tag systems  | Ventilation            | Excavation         |
| Barriers            | Group Isolation        | Lighting               | Working at heights |
| Warning Signs       | Fire Extinguishers     | Ground Protection      | Electrical         |
|                     | Scaffolding for access |                        | Confined Space     |
|                     |                        |                        | Hot Work           |

#### ADDITIONAL SAFETY EQUIPMENT OR CONTROLS

Standard PPE for the unit (FRC's, hard hat, hearing protection, safety glasses, steel toe shoes)

FRC clothing is required to be worn under all outer garments

All outer garments including tyvek must be FR material.

#### RISK MATRIX

Use risk matrix to assign a risk rating to each step of the JSEA on the following pages. Refer to Ris Management Procedure HSEQT.PRO.1.4 Risk Management

| RISK LEVELS | 5       | 4      | 3     | 2        | 1   |
|-------------|---------|--------|-------|----------|-----|
| NISK LEVELS | Extreme | V High | High  | Moderate | Low |
|             |         | LIKEL  | IHOOD |          |     |
| 6           | 30      | 24     | 18    | 12       | 6   |
| 5           | 25      | 20     | 15    | 10       | 5   |
| 4 SEV       | 20      | 16     | 12    | 8        | 4   |
| SEVERITY 3  | 15      | 12     | 9     | 6        | 3   |
| 2           | 10      | 8      | 6     | 3        | 2   |
| 1           | 5       | 4      | 3     | 2        | 1   |
|             |         |        |       |          |     |



| Risk        | Assessment                  | Risk Assessment   |                                      |   |   |  |  |
|-------------|-----------------------------|---|--------------------------------------|---|---|--|--|
| Step<br>No. | Sequence of basic job steps | Potential Safety & Environmental Hazards/<br>Impacts at the site of the job | Risk Rating Refer to the risk matrix | Recommended Controls  Determine the corrective actions to reduce the risk to as low as reasonably practical (ALARP) | Risk Rating<br>Refer to the risk matrix |  |  |
| 1.          |                             |   |                                      |   |   |  |  |
|             |                             |   |                                      |   |   |  |  |
|             |                             |   |                                      |   |   |  |  |
|             |                             |   |                                      |   |   |  |  |
| 2.          |                             |   |                                      |   |   |  |  |
|             |                             |   |                                      |   |   |  |  |
|             |                             |   |                                      |   |   |  |  |
|             |                             |   |                                      |   |   |  |  |
|             |                             |   |                                      |   |   |  |  |
| 3.          |                             |   |                                      |   |   |  |  |
|             |                             |   |                                      |   |   |  |  |
|             |                             |   |                                      |   |   |  |  |
|             |                             |   |                                      |   |   |  |  |



| Risk        | Risk Assessment             |   |                                      |   |   |  |
|-------------|-----------------------------|---|--------------------------------------|---|---|--|
| Step<br>No. | Sequence of basic job steps | Potential Safety & Environmental Hazards/<br>Impacts at the site of the job | Risk Rating Refer to the risk matrix | Recommended Controls  Determine the corrective actions to reduce the risk to as low as reasonably practical (ALARP) | Risk Rating<br>Refer to the risk matrix |  |
| 4.          |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
| 5.          |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
| 6.          |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |



| Risk        | Risk Assessment             |   |                                      |   |   |  |
|-------------|-----------------------------|---|--------------------------------------|---|---|--|
| Step<br>No. | Sequence of basic job steps | Potential Safety & Environmental Hazards/<br>Impacts at the site of the job | Risk Rating Refer to the risk matrix | Recommended Controls  Determine the corrective actions to reduce the risk to as low as reasonably practical (ALARP) | Risk Rating<br>Refer to the risk matrix |  |
| 7.          |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
| 8.          |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
| -           |                             |   |                                      |   |   |  |
| 9.          |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |



| Risk        | Assessment                  |   |                                      |   |   |
|-------------|-----------------------------|---|--------------------------------------|---|---|
| Step<br>No. | Sequence of basic job steps | Potential Safety & Environmental Hazards/<br>Impacts at the site of the job | Risk Rating Refer to the risk matrix | Recommended Controls  Determine the corrective actions to reduce the risk to as low as reasonably practical (ALARP) | Risk Rating<br>Refer to the risk matrix |
| 10.         |                             |   |                                      |   |   |
| 11.         |                             |   |                                      |   |   |
| 12.         |                             |   |                                      |   |   |



| Risk        | Risk Assessment             |   |                                      |   |   |  |
|-------------|-----------------------------|---|--------------------------------------|---|---|--|
| Step<br>No. | Sequence of basic job steps | Potential Safety & Environmental Hazards/<br>Impacts at the site of the job | Risk Rating Refer to the risk matrix | Recommended Controls  Determine the corrective actions to reduce the risk to as low as reasonably practical (ALARP) | Risk Rating<br>Refer to the risk matrix |  |
| 13.         |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
| 14.         |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
| 15.         |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |
|             |                             |   |                                      |   |   |  |



| Risk        | c Assessment                |   |                                      |   |   |
|-------------|-----------------------------|---|--------------------------------------|---|---|
| Step<br>No. | Sequence of basic job steps | Potential Safety & Environmental Hazards/<br>Impacts at the site of the job | Risk Rating Refer to the risk matrix | Recommended Controls  Determine the corrective actions to reduce the risk to as low as reasonably practical (ALARP) | Risk Rating<br>Refer to the risk matrix |
| 16.         |                             |   |                                      |   |   |
| 17.         |                             |   |                                      |   |   |
| 18.         |                             |   |                                      |   |   |



| Risk        | Risk Assessment             |   |                                      |   |   |  |
|-------------|-----------------------------|---|--------------------------------------|---|---|--|
| Step<br>No. | Sequence of basic job steps | Potential Safety & Environmental Hazards/<br>Impacts at the site of the job | Risk Rating Refer to the risk matrix | Recommended Controls  Determine the corrective actions to reduce the risk to as low as reasonably practical (ALARP) | Risk Rating<br>Refer to the risk matrix |  |
| 19.         |                             |   |                                      |   |   |  |
| 20.         |                             |   |                                      |   |   |  |
| 21.         |                             |   |                                      |   |   |  |



#### **Consultation and Sign-off**

I confirm by my signature below, that I have attended a briefing on the requirements of the attached Job Safety & Environment Analysis and agree to perform the work in the manner detailed on it. I confirm that copies of the relevant Permits, MSDS's, Isolation Plans etc. have been reviewed and are attached.

**Activity or Task:** 

| Name (Please Print) | Signature | Date |
|---------------------|-----------|------|
|                     |           |      |
|                     |           |      |
|                     |           |      |
|                     |           |      |
|                     |           |      |
|                     |           |      |
|                     |           |      |
|                     |           |      |
|                     |           |      |
|                     |           |      |
|                     |           |      |