

# Spill Prevention & Response Procedure

January 2023

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 2 of 22

#### **Purpose**

The purpose of this plan is to document spill prevention and response requirements. Each IPS\*ITCS work site will develop a spill prevention and response plan based on the requirements and template provided.

#### Scope

This procedure applies to all IPS\*ITCS operations. When work is performed on a non-owned or operated site, the operator's program shall take precedence, however, this document covers IPS\*ITCS employees and contractors and shall be used on owned premises, or when an operator's program doesn't exist or is less stringent.

#### Requirements

Each work site spill prevention and response plan shall contain the following requirements.

- Chemical substances should be stored in proper containers to minimize the potential for a spill. Whenever possible, chemicals should be kept in closed containers and stored so they are not exposed to storm water.
- The program must identify chemicals used that may be potentially spilled or released. This will include both liquid chemicals used at our facilities or brought on to owner client sites.
- Spill kits must be adequate for any anticipated spills. A proper spill kit must contain the
  appropriate supplies for materials that may be spilled. Supplies must be easily accessible
  when required, and considerations must be made for both the type and quantity of
  materials. The contents of spill response kits shall be periodically assessed to ensure the
  availability of adequate spill response supplies and adjust inventory as necessary.
- IPS★ITCS shall ensure the availability of adequate spill response supplies by periodic inspection to assess their availability and adjust the inventory as necessary.
- Employees must be instructed on spill prevention and the proper response procedures for spilled materials. The training should include materials available for use, proper waste disposal and communication procedures.
- Areas where chemicals may be used or stored must be maintained using good housekeeping best management practices. This includes, but is not limited to clean and organized storage, labeling and secondary containment where necessary.
- Proper communication measures for employees to initiate in the event of a spill will be created on a site-by-site basis. Communication procedures will be based on type and quantity of materials spilled.
- Environmental spills shall be reported to environmental authorities when required. Reporting procedures will be based on type and quantity of materials spilled.

The following template shall be used for each work site.

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 3 of 22

#### Copies of this plan are located at the facility and are available to all employees.

Location(s) of plan(s):		
Facility Information		
Facility Name:		
Mailing Address:		
Physical address if different:		
Owner Name:		
Owner Address:		
Primary Contact Name: Work Phone Number: Home Phone Number: Mobile Phone Number: Secondary Contact Name: Work Phone Number: Home Phone Number: Mobile Phone Number: Mobile Phone Number: Site Assessment Location - Describe where fac	ility is located.	

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 4 of 22

Fixed Storage - List capacity and contents of each storage container. For example, "One 6,000 gallon above ground tank containing diesel fuel." Be sure to include diesel, gasoline, waste oil, heating oil, kerosene, paint thinner and other solvents. Also describe the construction of the containers, secondary containment for each, liquid level indicators, alarms and method of corrosion protection for each container.
Non-Fixed Storage - List capacity and contents of each storage container. For example, "One 55-gallon drum for recycled oil." Be sure to indicate what each container is used for; its condition and construction and how secondary containment is provided.
Total quantity of stored materials: - The combined quantity of the materials listed above:  gallons  Oil spill history
Place an X on the appropriate line and proceed accordingly.
There has never been a significant spill at the above-named facility.
There have been one or more significant spills at the above-named facility. Details of such spill(s) are described below. For each spill that occurred, supply the following information:
<ul> <li>Type and amount of oil spilled</li> <li>Location, date and time of spill(s)</li> <li>Watercourse affected</li> <li>Description of physical damage</li> <li>Cost of damage</li> <li>Cost of clean-up</li> <li>Cause of spill</li> <li>Action taken to prevent recurrence</li> </ul>

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 5 of 22

The IPS★ITCS Group	Spill Prevention & Response Procedure

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 6 of 22

#### **Potential Spill Volumes and Rates**

Fill in all applicable blanks.

Potential Event	Volume Released	Spill Rate		
Complete failure of a full tank* Partial failure of a full tank* Tank overflow** Leaking during unloading*** Pipe failure**** Leaking pipe or valve*** Fueling operations**** Oil and grease	gallons  1 to gallons  1 to gallons  up to gallons  up to gallons  several ounces to gallons  several ounces to gallons  several ounces to quarts	instantaneous gradual to instantaneous up to gallons per min spotting		
	rvice).	ck into your tank(s). e tank if it should have to be emptied		
Spill Prevention and Control				
Spill Prevention - Provide specific description of items such as doubl drip pans, fueling procedures and are trained in proper handling procedures	e-walled tanks, containment b spill response kits. Also, desc	erms, emergency shut-offs, cribe how and when employees		
Spill discharge and flow - For each potential spill source; describe where petroleum would flow in the event of a spill. For example, "The 6,000 gallon diesel tank has a pre-manufactured secondary containment system capable of holding 110 percent of the total volume of the tank" and, "A spill from engine repair would be contained inside the shop building and quickly cleaned up with oil absorbents." Incorporate site map by reference (see instructions under <i>Appendices</i> ).				

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 7 of 22

Spill Prevention & Response Procedure

#### Record Keeping

The IPS★ITCS Group

Describe record keeping procedures. For example, "Record keeping procedures consist of maintaining all records a minimum of three years. The following items will be kept on file: current plan, internal site reviews, training records, and documentation of any spills or

Date Last Modified: 11.23.2022 Author: Shayne Torrans Version: 1.1 Pages 8 of 22

The IPS★ITCS Group	Spill Prevention & Response Procedure
maintenance conducted in regards to these sites." Training, and Record Keeping logs are included in	

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 9 of 22

#### **Maintenance Inspections**

Maintenance Coordinator Name:

Maintenance Coordinator responsibilities include implementation of preventative maintenance programs and oversight of on-site inspections.

Use this table to record inspections:

Facility Inspected	Date of Inspection	Name of Inspector	Result Pass/Fail	Comments

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 10 of 22

#### **Employee Training**

Employee Training Coordinator Name:	_
Use this table to record spill prevention and response training	

Name of Employee	Date of Training	Type of Training/Topics Addressed

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 11 of 22

#### **Record Keeping of Incidental Spills**

Record Keeper Name:

Record Keeper responsibilities include maintaining records of incidents, updating the plan as necessary and ensuring reports are submitted to the proper authorities when necessary.

Incident No.	Type of Incident	Date of Occurrence	How it was Cleaned Up

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 12 of 22

#### **Appendices**

Appendix A: Site Map

Site map - Attach a site map as Appendix A to this plan. You may attach an existing site map or create your own. If you use an existing map, be sure that the items listed below are included. If you need to create a site map, use a large enough piece of paper so all site plan elements may be seen and try to keep the map to a scale (e.g. 1" = 20' The following instructions should guide you step-by-step. Please use a straight edge (ruler) while creating the sketch.

- The sketch should be oriented as if you were in a plane looking down on your property (an aerial view), with North at the top (draw an arrow indicating north).
- Draw and label all roadways surrounding the work site.
- Draw and label all facilities within the work site as close proportionately as possible.
- Draw an arrow(s) pointing in the direction of downhill flow of water when it rains.
- Draw the location and general layout of all vehicles associated with the work site.
- Label any rivers or waterways surrounding the work site.
- Draw and label all methods of entry to the work site.

Annendix B. Emergency Response Posting Locations

- Draw and label the location of all fuel containment facilities.
- Draw and label the location of all in-place spill prevention, control and countermeasure devices.

Other attachments - List any additional information to be attached as Appendix B, C, D, etc. Label and staple the attachments to the end of this plan.

Appendix D: Appendix D:			
<u>Management</u>	: Approval		
document and	•	am familiar with the information submitte nose individuals responsible for obtaining , accurate and complete.	
Signature		Title	-
Printed name		Date	-

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 13 of 22

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 14 of 22

Approvals:

# **Revision History**

Rev	Rev Date	Rev By	Approved By	Description
1.0	1.3.2022	Shayne Torrans	Shayne Torrans	Initial Procedure Document
1.1	11.23.2022	Shayne Torrans	Shayne Torrans	Format Revision

Procedure Owner	
Print Name	 Date
Signature	_

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 15 of 22

## **Competency Assessment**

No.	Questionnaire	C/NYC
Q1		
A1		
Q2		
A2		
Q3		
A3		
Q4		
A4		
Q5		
<b>A</b> 5		

Enclosed Attachments	
Risk Assessment	
Environmental Aspect and Impact	
Training and Competency	Ø
Measure and Evaluation Tools	Ø

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 16 of 22

# **Competency Checklist**

To be filled out by Trainer and signed by Employee, Assessor and Supervisor before being returned to the HSEQT Manager for recording purposes.

Procedure	Competency	Date	Competent YES / NO	Employee Signature		
(Please tick appropriate box)  This employee is competent in performing the job.  This employee has not attained the competency level.  *  If the employee has not attained all competency levels, the General Manager must assess the action to be taken, provide an extension of training or alternative action as listed below.						
Alternate action to be taken:						
Signed By E	imployee:			Date:		
Т	rainer:			Date:		

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 17 of 22

The IPS★ITCS Group	Spill Prevention & Response Procedure				
Assessor:	Date:				
Regional Manager:	Date:				

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 18 of 22

## **Environmental Aspects and Impacts**

#### Identified Environmental Aspects and Impacts

The following table is a summary of the likely environmental aspects and impacts that may be identified during site inspections. The significance of each impact needs to be assessed using the Risk Assessment Model.

Activity	Aspect	Impact			
	Consumption of goods	Conservation of natural resources			
Purchasing & Administrative Work	Consumption of energy (eg. Electrical equipment and facilities)	Release of greenhouse gases and atmospheric pollution; Consumption of natural resources; Habitat loss			
Administrative from	Generation of waste (eg. Paper)	Consumption of space for waste disposal; Habitat loss			
Climate Control	Consumption of energy	Release of greenhouse gases and atmospheric pollution; Consumption of natural resources; Habitat loss			
	Generation of noise	Disturbance to community; Habitat loss			
Cleaning of – offices / vehicles	Storage, use and release of chemicals	Contamination of air, water or soil; Risk to human health			
	Samp Consumption of energy	Polease of green tool so gases and a tmospheric of luro;  Consumption of natural resources; Loss of habitat at all stages of generation; Light pollution			
	Consumpt on f go ds (eg. Oil)	Con lunt ich uma ura rescurce ; Generation of waste; Habitat loss; Biodiversity impacts			
Transport (Fleet vehicles / staff travel)	Generation of waste (eg. Oil)	Consumption of space for waste disposal; Potential contamination of water or soil; Habitat loss			
	Exhaust emission	Release of greenhouse gases and atmospheric pollution			
	Use of dangerous goods (eg. Batteries)	Potential contamination of air, water or soil; Risk to human health			
	Generation of noise	Disturbance to community; Habitat degradation			
Operations					

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 19 of 22

Activity	Aspect	Impact

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 20 of 22

### Risk Assessment



Risk Assessment // insert_name here							
Step No: Logical sequenc e	Sequence of Basic Job Steps documented in the Procedure, Work Instruction and project plans. Break down Job into steps.  Each step should be logical and accomplish a major task.	Potential Safety & Environmental Hazards/Impacts at the site of the Job  Identify the actual and potential health and safety hazards and the environmental impacts associated with each step of the job.	Risk Rating  Refer to the risk matrix or HSEQT.PRO. Risk Mgt	Recommended Corrective Action or Procedure  Determine the corrective actions necessary to reduce the risk to as low as reasonably practical (ALARP) refer to HSEQ.PRO.Risk Mgt. The risk must be rediced or controlled to ALARP before work commences.  Document who is responsible for implementing the controls to manage each hazard identified.	Risk Rating refer to the risk matrix or HSEQT.PRO.Risk Mgt		
1.							
2.							
3.							
4.							
5.							

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Page 21 of 22

## **Audit**



Process: insert// Procedure: Insert //				Date:  Location of Audit:	Audited by:  Area Mgr/Supervisor:		
Item	Question	ı	Evidence Sited	Comments		Conformance Score 0,3,5	
1.							
2.							
3.							
4.							
5.							
6.							
7.							
AUDITOR'S SIGNATURE: SAFETY REP'S SIGNATURE:		CONFORMANCE SCORE:  CONFORMANCE %:	/ 25	3 – Con	-Conformance tinuous Improvement Opportunity I Conformance	,	

Version: 1.1 Date Last Modified: 11.23.2022 Author: Shayne Torrans Pages 22 of 22